


Brida B3




TIPO IEC	FORMA CONSTRUCTIVA B3 [mm]									PUNTA DE EJE [mm]			PESO [Kg]	
	H	A	B	C	L1	L2	AD	HD	K	DxE	F	GA	S/F	C/F
71	71	112	90	45	240	310	195	195	7	14x30	5	16	7	11
80	80	125	100	50	274	335	210	210	10	19x40	6	21,5	9	14
90S	90	140	100	56	306	370	220	220	10	24x50	8	27	13	20
90L	90	140	125	56	331	400	230	230	10	24x50	8	27	15	22
100L	100	160	140	63	372	430	260	260	12	28x60	8	31	24	29
112M	112	190	140	70	398	460	280	280	12	28x60	8	31	27	43
132S	132	216	140	89	453	530	320	320	12	38x80	10	41	37	74
132M	132	216	178	89	492	570	320	320	12	38x80	10	41	44	78
160M	160	254	210	108	600	700	380	380	15	42x110	12	45	73	99
160L	160	254	254	108	640	750	380	380	15	42x110	12	45	103	120
180M	180	279	241	121	700	930	-	455	15	48X110	14	51,5	164	212
180L	180	279	279	121	740	970	-	455	15	48X110	14	51,5	182	230
200L	200	318	305	133	770	1000	-	505	19	55X110	16	59	245	289
225S	225	356	286	149	815	1190	-	560	19	60X140	18	71	258	373
225M	225	356	311	149	845	1220	-	560	19	60X140	18	71	290	405
250M	250	406	349	168	910	1290	-	615	24	65X140	18	76	310	425

* **L1:** Longitud total de motores sin freno.

* **L2:** Longitud total de motores con freno.


* A partir de carcasa 180, B3 y B35, con caja de conexión superior.

Brida B5




TIPO IEC	FORMA CONSTRUCTIVA B5 [mm]						
	BRIDA	P	N	S	Q	M	F
63	F-115	140	95	9	3	115	10
71	F-130	160	110	9	3,5	130	10
80	F-165	200	130	10	3,5	165	12
90		200	130	10	3,5	165	12
100	F-215	250	180	11	4	215	15
112		250	180	11	4	215	15
132	F-265	300	230	12	4	265	15
160	F-300	350	250	18	5	300	19
180		350	250	18	5	300	19
200	F-350	400	300	18	5	350	19
225	F-400	450	350	18	5	400	19
250	F-500	550	450	18	5	500	19

Brida B14



TIPO IEC	FORMA CONSTRUCTIVA B14 [mm]					
	BRIDA	M	N	P	Q	F
71	C-105	85	70	105	2,5	M6
80	C-120	100	80	120	3	M6
90	C-140	115	95	140	3	M8
100	C-160	130	110	160	3,5	M8
112		130	110	160	3,5	M8
132	C-200	165	130	200	3,4	M10
160	C-250	215	180	249	6,3	M12

Brida NEMA



TIPO IEC	FORMA CONSTRUCTIVA NEMA [mm]					
	BRIDA	M	N	P	Q	F
71	FC-95	95,2	76,2	143	4	1/4" x 20
80		95,2	76,2	143	4	1/4" x 20
90	FC-149	149,2	114,3	165	4	3/8" x 16
100		149,2	114,3	165	4	3/8" x 16
112	C-184	184,2	215,9	225	6,3	1/2" x 13
132		184,2	215,9	225	6,3	1/2" x 13
160		184,2	215,9	225	6,3	1/2" x 13